

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	( "6,549,922" B1).pn.	US-PGPUB; USPAT	OR	OFF	2005/08/31 12:51
L2	937	( format\$3 with ( convert\$3 or tranform\$3 ) same stor\$6 same client\$1)	US-PGPUB; USPAT	OR	OFF	2005/08/31 12:52
L3	10	( format\$3 with ( convert\$3 or tranform\$3 ) same stor\$6 same client\$1 same ((run near2 time\$1 ) or runtime\$1))	US-PGPUB; USPAT	OR	OFF	2005/08/31 13:03
L4	15	( format\$3 same ( convert\$3 or tranform\$3 ) same stor\$6 same client\$1 same ((run near2 time\$1 ) or runtime\$1))	US-PGPUB; USPAT	OR	OFF	2005/08/31 13:03
L5	16	( format\$3 same ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same client\$1 same ((run near2 time\$1 ) or runtime\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 13:16
L6	240	( format\$3 same ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same client\$1 & ((run near2 time\$1 ) or runtime\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 13:16
L7	138	( format\$3 with ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same client\$1 & ((run near2 time\$1 ) or runtime\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 13:19
L8	60	( format\$3 with ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same client\$1 & ((run near2 time\$1 ) or runtime\$1))	USPAT	OR	OFF	2005/08/31 13:24
L9	47	( format\$3 with ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same ((run near2 time\$1 ) or runtime\$1) & client\$1 )	US-PGPUB; USPAT	OR	OFF	2005/08/31 13:47
L10	53	( ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same ((run near2 time\$1 ) or runtime\$1) same client\$1 )	US-PGPUB; USPAT	OR	OFF	2005/08/31 13:47
L11	47	( ( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1) same ((run near2 time\$1 ) or runtime\$1) same client\$1 & format\$3 )	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:08

L12	53	(( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1 ) same ((run near2 time\$1 ) or runtime\$1) same client\$1 )	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:08
L13	56	(( convert\$3 or tranform\$3 ) same ( stor\$3 or storage\$1 or sav\$3) same ((run near2 time\$1 ) or runtime\$1) same client\$1 )	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:12
L14	30	( format\$3 with ( convert\$3 or tranform\$3 ) same ((run near2 time\$1 ) or runtime\$1) same client\$1 & ( stor\$3 or storage\$1 or sav\$3) )	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:26
L15	99	( format\$3 with ( convert\$3 or tranform\$3 ) same ((run near2 time\$1 ) or runtime\$1) same ( stor\$3 or storage\$1 or sav\$3) )	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:25
L16	109	( format\$3 with ( convert\$3 or tranform\$3 ) same ((run near2 time\$1 ) or runtime\$1) same ( stor\$3 or storage\$1 or sav\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:25
L17	52	( format\$3 same ( convert\$3 or tranform\$3 ) same ((run near2 time\$1 ) or runtime\$1) same client\$1 & ( stor\$3 or storage\$1 or sav\$3) )	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:30
L18	2277	( mediat\$3 same (run near2 time\$1 ) or runtime\$1) same client\$1	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:30
L19	18	mediat\$3 same ( (run near2 time\$1 ) or runtime\$1) same client\$1	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:35
L20	2	mediat\$3 same ( (run near2 time\$1 ) or runtime\$1) same format\$3 same client\$1	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:36
L21	120	(( (run near2 time\$1 ) or runtime\$1) same format\$3 same ( convert\$3 or tranform\$3 or chang\$3 or modif\$3) same client\$1	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:38
L22	52	(( (run near2 time\$1 ) or runtime\$1) same format\$3 with( convert\$3 or tranform\$3 or chang\$3 or modif\$3) same client\$1	US-PGPUB; USPAT	OR	OFF	2005/08/31 14:48
L23	55	(( (run near2 time\$1 ) or runtime\$1) same format\$3 with( convert\$3 or tranform\$3 or chang\$3 or modif\$3) same client\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:49

L24	130	((run near2 time\$1 ) or runtime\$1) same format\$3 same( convert\$3 or tranform\$3 or chang\$3 or modif\$3) same client\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:50
L25	57	((run near2 time\$1 ) or runtime\$1) same format\$3 same( convert\$3 or tranform\$3 or chang\$3 or modif\$3) same client\$1 same ( stor\$3 or storag\$3 or sav\$3 or load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:06
L26	130	((run near2 time\$1 ) or runtime\$1) same format\$3 same( convert\$3 or tranform\$3 or chang\$3 or modif\$3) same client\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:21
L27	1851	((run near2 time\$1 ) or runtime\$1) same( convert\$3 or tranform\$3 or chang\$3 or modif\$3) with ( stor\$3 or storage\$1 or sav\$3 or load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:30
L28	971	((run near2 time\$1 ) or runtime\$1) same( convert\$3 or tranform\$3 or chang\$3 or modif\$3) with ( stor\$3 or storage\$1 or sav\$3 or load\$3)	USPAT	OR	OFF	2005/08/31 15:30